







Princeps Invest OÜ is official distributor of SEMA GASES





Miniflo brass control valves + flow indicator

for 10ltr Especially designed for 10ltr cylinders of gases.

Flow	0.5 lpm on bottom line / 1.0 lpm on top line
rate	Brass chrome plated

Material

Fixed Flow Regulator for 34ltr, 58ltr & 110ltr

Available for portable detectors with no pump or hand pump, also ideal for fixed head detectors.

0.3, 0.5, 1.0, 2.5, 3.0 lmp	Flow rate
0-1000 PSI (68 bar)	Pressure gauge
5/8" - 18 UNF (C10) Male	Inlet
6mm Barbed Fitting	Outlet
Nickel coated brass (Stainless steel regulators available)	Material





Demand flow regulator for 34ltr, 58ltr & 110ltr

The DFR is designed to be used with instruments that utilize a pump to draw calibration gas.

Flow rate	0.0 - 3.0 lpm
Pressure gauge	0-1000 PSI (68 bar)
Inlet	5/8" - 18 UNF (C10) Male
Outlet	6mm Barbed Fitting
Material	Nickel plated brass. Bonnet - Aluminium

ACCESSORIES

-Carrying Cases -Gas Sampling Bags -Sampling Hoses -Calibration Ada<u>ptors</u>



FLAMMABLE GAS

TOXICS

Methane (CH4), Propane (C3H8), Butane (C4H10). (LEL or Volume mixtures)

OXYGEN

% Volume mixtures for oxygen meter and IGS instrument testing

CO, H2S, CI2, SO2, NH3, CO2 & many more

Expiry: Decruin

UN1955

ents 110 Lives @ 1000 pill

MIX GAS

LEL, H2S, CO, O2 2, 3, 4 or 5 gas mixtures available









Туре	10L	34L	58L	110L
Size	265 x 73 mm	283 x 74 mm	278 x 75 mm	358 x 90 mm
Empty Weight	0.10 kg	0.47 kg	0.62 kg	1.16 kg
Material	Aluminium Alloy	Aluminium Alloy	Aluminium Alloy	Aluminium Alloy
Water Capacity	1.0L	0.9L	0.85L	1.6L
Max Fill Pressure	10 bar / 145 PSIG	34 bar / 500 PSIG	69 bar / 1000 PSIG	69 bar / 1000 PSIG
Outlet	7/16"	5/8"	5/8"	5/8"
	28 NS/2	18 UNF	18 UNF	18 UNF
	male	C10	C10	C10
Regulatory	75/324/EEC	ISO 11118	ISO 11118	ISO 11118
	(US) DOT 39	(US) DOT 39		
Compliance				

Worldwide Shipping and Distribution!

WANT TO BE PART OF OUR DISTRIBUTION NETWORK? PLEASE CONTACT US OR ONE OF OUR EXISTING DISTRIBUTORS.



With SEMA Gases quality is guaranteed. We offer a wide range in gases. Make sure you select the correct concentration, or a concentration which is most suitable to your requirements.

Common gases are ex-stock. Worldwide distribution possible.

Distributed by:

Find your local distributor at w w w.semagases.com/distributors/



info@princepssolutions.eu ops @princepssolutions.eu



WWW.PRINCEPSSOLUTIONS.EU